

- Perfect Sensor probe
- 4 zones
- Intelligent touch control with digit display
- 19 power levels
- Booster
- 4 x independent timers
- Recall function
- 10 safety features:
 - Residual heat indicator
 - Small object safety
 - Anti overflow
 - Autostop® system
 - Keypad lock
 - > Automatic saucepan detection
 - > Temperature limiter
 - > Low voltage, Connection error, Over Tension







Cooking Zones	#1 + #2	#3	#4
Position of zone	Left	Front right	Rear right
Size of zone (mm)	HoriZonetech 400x230	160	230
Power (W)	3700	2400	3700



Perfect Sensor

- •There are three ways of using the perfect sensor probe
- 1. View the temperature measured in the dish directly on the hob's display.
- 2. Programme a temperature setpoint to be reached in the dish (Expert mode)
- 3.Set the temperature thanks to the 6 cooking functions proposed.
- •With the help of connected probe, the hob indicates in real time and to the nearest degree the temperature measured in your dish.
- •Sensor probe detects temperature from 5°C 180°C.



- > C1 Expert mode
- > C2 Melt
- > C3 Vacuum cooking (Sous Vide)
- > C4 Warm
- > C5 Slow Cooking
- ➤ C6 Boil

•Pairing:

- ➤ Pairing takes place only once when using the sensor for the first time or when replacing it.
- >Once confirmed, sensor light will turn blue.
- >Pairing only in needs to be done once.









Electronic Connections

Total power for connections: 7400W

• Current: 32amps

Voltage: 220V – 240VFrequency: 50 / 60Hz

• Length of electrical supply cord: 130cm

• Type of plug: Not applicable


Dimensions

• Dimensions of overall product (mm): H68 x W650 x D515

• Built in dimensions (mm): W560 x D490

Net weight (kg): 11.5


• Gross weight (kg): 12





Installation Diagram

Built in dimensions



Fully flushed dimensions

